

IEEE 802.16 Working Group on Broadband Wireless Access

<http://WirelessMAN.org>



Dr. Roger B. Marks
325 Broadway, MC 818.00
Boulder, CO 80305 USA
Tel: +1 303 497 7837
<mailto:r.b.marks@ieee.org>
16 September 2005

Dear IEEE-SA RevCom:

This submittal is an application for approval of IEEE P802.16e/D11 (“Draft Amendment to IEEE Standard for Local and Metropolitan Area Networks - Part 16: Air Interface for Fixed and Mobile Broadband Wireless Access Systems - Amendment for Physical and Medium Access Control Layers for Combined Fixed and Mobile Operation in Licensed Bands”).

Attached to this letter, please find the following:

Page 2-5: IEEE-SA Standards Board Form for Submittal of Proposed Standards

Page 6-10: Coordination comments and responses:

The draft itself will be included separately in PDF format and supplied to the IEEE Staff Project Editor in FrameMaker format. The ballot results will be provided directly to the RevCom Administrator.

As of this time, a 15-day recirculation is in progress, closing on 27 September. Until that recirculation is complete, I cannot completely confirm the approval ratio. However, two of the remaining Disapprove voters have indicated to us that they are satisfied and intend to convert their vote to Approve, another has already switched to Approve in the current recirc, and a fourth has switched to Abstain. Based on this information, we estimate that the current voting result is 136 Approve, 4 Disapprove, and 10 Abstain, for an approval ratio of 97.1%. The four remaining Disapprove voters (Rémi Chayer, Brian Kiernan, Greg Phillips, and Dorothy Stanley) have one unresolved comment each. Each of these four comments has been recirculated multiple times; no unresolved Disapprove comments remained to review during either of the last two recirculations.

The cover letter for the ongoing recirculation is available as hyperlinked document [IEEE 802.16-05/066](#).

Please feel free to contact me with any questions or concerns.

Sincerely,

Roger B. Marks
Chair, IEEE 802.16 Working Group on Broadband Wireless Access

**IEEE-SA STANDARDS BOARD
FORM FOR SUBMITTAL OF PROPOSED STANDARDS**

1. PROJECT NUMBER: P802.16e

2. DATE: 16 September 2005

3. TITLE: Draft Amendment to IEEE Standard for Local and Metropolitan Area Networks - Part 16: Air Interface for Fixed and Mobile Broadband Wireless Access Systems - Amendment for Physical and Medium Access Control Layers for Combined Fixed and Mobile Operation in Licensed Bands

4. SPONSOR (Full name of society/committee): Computer Society/LMSC + Microwave Theory & Techniques Society

5. BALLOTING COMMITTEE: IEEE 802.16 Working Group + Microwave Theory and Techniques Society

6. NAME OF WORKING GROUP: IEEE 802.16 Working Group on Broadband Wireless Access

7. NAME AND ADDRESS OF SUBMITTER

Roger B. Marks
NIST
325 Broadway, MC 818.00
Boulder, CO 80305
USA

Telephone: +1 303 497 7837

Fax: -

E-Mail: r.b.marks@ieee.org

8. DESCRIPTION OF DOCUMENT (Check one from each column.)

- | | | |
|---|---|--|
| <input checked="" type="checkbox"/> New | <input type="checkbox"/> Standard | <input checked="" type="checkbox"/> Full Use (5-year life cycle) |
| <input type="checkbox"/> Revision | <input type="checkbox"/> Recommended Practice | <input type="checkbox"/> Trial Use (2-year life cycle) |
| <input type="checkbox"/> Reaffirmation | <input type="checkbox"/> Guide | |
| <input type="checkbox"/> Withdrawal | <input checked="" type="checkbox"/> Amendment/Corrigenda to an existing
standard (Indicate number and year) <u>802.16-2004</u> | |

8A. REAFFIRMATION ONLY:

The Sponsor confirms that the balloting group agrees that this standard continues to be useful in its current form and contains no significant obsolete or erroneous information.

- Yes No
-

9. BALLOT INFORMATION

List the interest categories of **eligible** balloters only. Refer to the IEEE-SA Standards Board Operations Manual and the Working Guide for Submittal of Proposed Standards for the rules of balloting committee classification.

User	32	Producer	44	General Interest	32	Government	2
Interest Category	No.						

SUMMARY OF ELIGIBLE BALLOTS

	INITIAL BALLOT		RECIRCULATION BALLOT (if applicable)	
	Draft D5 Number	Date Closed: 2004-11-04 Percentage	Draft D10 Number	Date Closed: 2005-07-14 Percentage
Eligible Balloters	185	100%	185	100%
Ballots Returned	141	76	150	81
Affirmatives	74	56	133	94
Total Negatives	58	N/A	8	N/A
Abstentions	9	06	9	06
Reasons for abstentions:	Lack of time = 7		Lack of expertise = 1	
			Other = 1	

10. RESOLUTION OF COMMENTS AND NEGATIVE VOTES

All balloting group members, observers, and coordinating groups have been advised of substantive changes made with respect to the balloted draft standard (in response to comments, in resolving negative votes, or for other reasons) and have received copies of all unresolved negative votes with reasons from the negative voter and the rebuttal, and have been advised that they have an opportunity to change their votes.

- A. Have unresolved comments accompanying negative votes been circulated? *Include unresolved negative comments and rebuttal.* Yes No No unresolved comments
- B. Have substantive document changes been circulated? Yes No No substantive changes

11. COORDINATION ACTIVITY (Not required for reaffirmation)

Using the abbreviations listed below, indicate the response received from each committee/organization required for coordination and include a copy of the response. Include documentation authorizing coordination by common membership, if applicable.

R = Received R/C = Received with comment NR = Not received

Committee/Organization	Response	Committee/Organization	Response
SCC10 (IEEE Dictionary)	NR		
SCC14 (Quantities, Units, & Letter Symbols)	R/C		
IEEE Standards Editorial Staff	R		

Indicate below any unresolved problems from coordination activities.



12. PATENT/COPYRIGHT and REGISTRATION ISSUES

- A. Any patent letters of assurance (LoAs) received by the Sponsor are to be forwarded to the PatCom Administrator [Fax: + 1 732 875 0524].
- B. Is there any copyrighted material in the proposed standard? Yes No
If yes, include copyright release(s).
- C. Is the registration of objects and/or numbers a provision of the proposed standard? If yes, include a proposal for review by the IEEE-SA Registration Authority Committee (RAC). Yes No Already approved by RAC

13. INTERNATIONAL STANDARDS ACTIVITIES (Not required for reaffirmation)

- Is this document intended to be the basis of or included in an international standard? Yes (Explain) No
This document is under consideration for reference in a Preliminary Draft New Recommendation under development in ITU-R Working Party 8A.

14. UNIT OF MEASUREMENT (check one)

- International System of Units (SI) - Metric Inch/Pound Both Not measurement sensitive
- Other _____

15. Source Materials Submitted to IEEE Standards Department

- A. Have electronic versions of the source documents (text and figures) been provided? Yes No Format: FrameMaker
- B. Will a diskette or other online material be required to accompany the published standard? Yes No

16. Submission checklist (X = included in submittal package N/A = Not applicable)

	Submission Package Item	List URL if online
X	This submittal form	http://iee802.org/16/docs/05/80216-05_059r2.pdf
X	Ballot summary form(s) (1 per ballot cycle)	provided to RevCom Admin to protect private contact info
X	Copies of unresolved negatives & rebuttals	http://iee802.org/16/docs/05/80216-05_067.pdf
X	PAR and PAR approval letter	http://iee802.org/16/docs/04/80216-04_33r6.pdf
X	Coordination comments and responses	http://iee802.org/16/docs/05/80216-05_059r2.pdf
X	.pdf of final balloted draft #D10	http://iee802.org/16/private/drafts/tge/P80216e_D11.zip
N/A	Permissions & copyright releases	

PROJECT NUMBER: P802.16e

DATE: 2005-09-16

This draft standard has been developed in accordance with the policies and procedures of the Sponsor and I am authorized by those policies and procedures to make this submittal.

Chair, IEEE 802.16 Working Group

Signature of Submitter

Title (role in Sponsor)

=====

FOR STANDARDS DEPARTMENT USE ONLY

Signature of IEEE-SA Officer

IEEE-SA Standards Board Chair

Title

Date

Return to:

IEEE Standards Department
RevCom Secretary
445 Hoes Lane
PO Box 1331
Piscataway, NJ 08855-1331

Coordination Comments and Responses

(1) Editorial

Ballot/Comment Data for 0001045 (P802.16e/D8 3rd Recirculation)
Submitted Mon Jun 6 15:00:25 EDT 2005
Type: comment
Record Number: 00001001

ballot_code = 0001045
form_type = comment
ieee_number = 00001001
name = Michelle Turner
email = m.d.turner@ieee.org
phone = 732-562-3825
fax = 732-562-1571
org = IEEE
page = general
line =
subclause =
comment_type = Coordination
comment = Separate electronic files of figures shall be supplied in TIFF format (unless created in FrameMaker).
suggested_remedy =

(2) SCC14

Ballot/Comment Data for 0000754 (P802.16e)
Submitted Fri Oct 29 12:05:32 EDT 2004
Type: comment
Record Number: 00001002

ballot_code = 0000754
form_type = comment
ieee_number = 00001002
name = John T. Scott
email = john.scott@physics.org
phone = 973-748-1399
fax = 973-748-7074
org = IEEE SCC14
page = General
line =
subclause =
comment_type = Coordination
comment = This draft meets all the requirements of IEEE SCC14.
suggested_remedy =

2005-08-09

IEEE 802.16-05/059

Ballot/Comment Data for 0001037 (P802.16e/D7 2nd Recirculation)
Submitted Wed Apr 27 10:32:10 EDT 2005
Type: comment
Record Number: 00001002

ballot_code = 0001037
form_type = comment
ieee_number = 00001002
name = John T. Scott
email = john.scott@physics.org
phone = 973-748-1399
fax = 973-748-7074
org = IEEE SCC14
page = General
line =
subclause =
comment_type = Coordination
comment = SCC14 is happy that our recommendations concerning typography etc. have been understood and addressed. Thank you.
suggested_remedy =

Ballot/Comment Data for 0001045 (P802.16e/D8 3rd Recirculation)
Submitted Wed Jun 1 10:49:30 EDT 2005
Type: comment
Record Number: 00001002

ballot_code = 0001045
form_type = comment
ieee_number = 00001002
name = John T. Scott
email = john.scott@physics.org
phone = 973-748-1399
fax = 973-748-7074
org = IEEE SCC14
page = General
line =
subclause =
comment_type = Coordination
comment = This document meets SCC14 standards.
suggested_remedy = None needed

Ballot/Comment Data for 0001056 (P802.16e/D9 4th Recirculation)
Submitted Sun Jul 10 11:02:17 EDT 2005
Type: comment
Record Number: 00001002

ballot_code = 0001056
form_type = comment
ieee_number = 00001002
name = James R. Frysinger
email = frysingerj@cofc.edu
phone = 843.953.7644
fax = 843.953.4824
org = College of Charleston/Dept. of Physics and Astronomy
page = general
line =
subclause =
comment_type = Coordination
comment = Throughout the document, the unit symbol dBm is found. This is not defined in IEEE/ASTM SI 10 nor in IEEE Std 260.1; these define instead the unit decibel (dB). In fact, IEEE/ASTM SI 10 states in clause 3.5.5, "Attachments of letters to a unit symbol as a means of giving information about the nature of the quantity is incorrect." IEEE Std 260.1 states that reference levels are to be indicated in the text or as part of the quantity symbol, not as part of the unit symbol. The proper emendment would be to either provide annotated quantity symbols or to make a blanket statement that all levels are referenced to some particular value (perhaps 1 mV or perhaps 1 mW, but not both globally) and then to change all instances of dBm to dB.

It is recognized that other SDOs may recognize the unit with symbol dBm but support for its use here ought to be made readily available to the reader. If the WG considers it absolutely essential, for the sake of harmony with standards from other SDOs to use dBm, then this document needs to define that symbol up front and not leave it to the reader to find the correct answer. It would be circular logic to aver that those who already "know the meaning" do not need this support since they already know the meaning. Those who do not know the answer probably also do not know where to find it on their own and they would find no help on that in IEEE/ASTM SI 10 or IEEE Std 260.1.

suggested_remedy = Emend to change all instances of dBm to dB (preferred) or provide a local definition at the front of the document for dBm (acceptable).

Response

The term "dBm" is used in IEEE Std 802.16-2004, the base standard. Therefore, we prefer to choose the second option of the suggested remedy. However, the comment is more appropriately addressed within the existing IEEE P802.16-2004/Cor 1 project, which is developing a Corridendum to the same base standard. A relevant Coordination comment was submitted in the recent IEEE-SA Sponsor Ballot of this Corrigendum project:

*SCC14 Coordination Comments on
P802.16-2004/Cor 1: Corrigendum to IEEE Standard for Local and Metropolitan Area
Networks - Part 16: Air Interface for Fixed Broadband Wireless Access Systems*

Very little in this long standard raises any concerns from SCC14. Here are a couple of picky points:

1) The decibel, dB, is of course a permitted unit (although, oddly, it is not SI). Likewise, the dBm is well-enough understood to be permitted also. But I'd like to see a definition (that is, the

reference level) of dBi when it first appears (in subclause 8.3.10). The "m" and the "i" would be better as subscripts.

2) A little more care needs to be taken to ensure that all quantity symbols are set, as they should be, in italic. Note that k and k appear interchangeably in 8.4.4.5 2) (k is correct). The integer counting symbol n or N occasionally appears incorrectly as roman.

3) Note that the unit symbol for "second" is "s" and that for "millisecond" is "ms." In Table 342 I find the incorrect "msec," which is specifically not permitted.

For IEEE SCC14

John T. Scott

21 June 2005

The response to that comment will be:

1) In section 4, we have included the following abbreviations:

"dBm Decibels relative to one milliwatt

dBi Decibels of gain relative to the zero dB gain of a free-space isotropic radiator"

[Note that dBm is taken from the IEEE Dictionary (IEEE Std 100-1996); dBi is taken from <<http://ntia.its.bldrdoc.gov/fs-1037/fs-1037c.htm>>]

Regarding subscripting the "m" or the "i", note that the IEEE Dictionary does not subscript the "m" in dBm. Nor does the baseline document IEEE Std 802.16-2004 subscript the "m" or the "i" in dBm or dBi, so I do not want the Corrigendum to be inconsistent with that document. Making such a change would be in the authority of the IEEE staff editor, however.

2) We have reviewed all quantity symbols through out the document (for example the symbol k in section 8.4.4.5.2), and edited them to be italic.

3) We have changed every instance of "msec" to "ms".

Since the P802.16e SCC14 Coordination comment is being fully addressed by the response to the Corrigendum Coordination comment, we believe it is most appropriate to make no corresponding change to the P802.16e draft.

2005-09-16

IEEE 802.16-05/059r2

Acceptance of comment resolution by Jim Frysinger:

Dear Roger, and all,

I greatly appreciate your forwarding of the link to the resolution comments. Perhaps it was in the package I downloaded but I did not see it; I was looking for a separate document. Nonetheless, the information provided here by you is very useful and it clarifies matters nicely. Thank you.

Your point is well taken that the PARs must be respected in the preparation of documents to be balloted. Particularly useful was the information you provided on the corrigendum of the base document, which was reviewed by my colleague, John Scott. Your file notes that we have expressed contrary views regarding the dBm and that deserves comment.

We two reviewers have differing views on some minor matters; alas, the alteration of the unit symbol, dB, is one of them. This is of course a matter of ongoing and spirited, but friendly, dialog on our committee. I have been operating from a literal interpretation of IEEE/ASTM SI 10-2002 3.5.5 and the amplified explanation and application to level indications in IEEE Std 260.1-2004 Annex A (normative). The former document is the one cited as our reference in the IEEE SA Implementation Plan for the IEEE Metric Policy.

John Scott takes a more pragmatic approach than I; he bends more readily to observed practice and other documents of the proposed document's milieu. As one might expect, especially in times of change, one might find documents that reflect styles that heed various norms. Hopefully this will explain the discrepant views expressed in our two sets of comments, which your document quotes.

Your point is well taken that the place to address the dBm was in the corrigendum reviewed by John Scott and I will stand behind him on that review. I greatly appreciate your adding the comments you added in response to his comments.

Your link to the source of the definition for dBi is appreciated. I see that Fed-Std-1037C lists some 22 modifications to the symbol dB by means of attachments to the symbol. I cannot tell from the material I have in hand so I must trust that the baseline document includes the citation in its bibliography or references. In fact, I had to refer to the cited Fed-Std-1037C so that I could understand the sentence you are adding to section 4 of the base document to define the symbol dBm in terms of dBi.

This provides an interesting contrast to NIST SP 811 (1995) 8.7, <http://physics.nist.gov/Pubs/SP811/sec08.html> on which Annex A of IEEE Std 260.1-2004 was patterned. That section of NIST SP 811 in turn cites IEC 27-3 (1989), <http://physics.nist.gov/Pubs/SP811/appendD.html#07iec27-3> This section of SP 811 also cites the rule given in Sec. 7.4 of SP 811, as precluding the use of the symbol dBm and other modifications of the symbol dB by means of attachments. One can fairly state that the business of standardization is interesting!

My apologies to the group if my reviews of P802.16e and P802.16f have caused any consternation or inconvenience. I now accept these packages (P802.16e and P802.16f) as presented and ask that you use this email as certification of that to RevCom.

*best regards,
Jim Frysinger
2005-08-27*