

Project	<b>IEEE 802.16 Broadband Wireless Access Working Group</b> < <a href="http://ieee802.org/16">http://ieee802.org/16</a> >	
Title	<b>Tables summarizing message parameters</b>	
Date Submitted	<b>2002-09-24</b>	
Source(s)	Carl Eklund Nokia P.O. Box 407 FIN-00045 Nokia Group	Voice: +358718036566 Fax: +358718036851 <a href="mailto:carl.eklund@nokia.com">mailto:carl.eklund@nokia.com</a>
Re:	Comment received during Sponsor Ballot	
Abstract	This document contains the tables to be added to the document.	
Purpose	Comment resolution	
Notice	This document has been prepared to assist IEEE 802.16. It is offered as a basis for discussion and is not binding on the contributing individual(s) or organization(s). The material in this document is subject to change in form and content after further study. The contributor(s) reserve(s) the right to add, amend or withdraw material contained herein.	
Release	The contributor grants a free, irrevocable license to the IEEE to incorporate material contained in this contribution, and any modifications thereof, in the creation of an IEEE Standards publication; to copyright in the IEEE's name any IEEE Standards publication even though it may include portions of this contribution; and at the IEEE's sole discretion to permit others to reproduce in whole or in part the resulting IEEE Standards publication. The contributor also acknowledges and accepts that this contribution may be made public by IEEE 802.16.	
Patent Policy and Procedures	The contributor is familiar with the IEEE 802.16 Patent Policy and Procedures < <a href="http://ieee802.org/16/ipr/patents/policy.html">http://ieee802.org/16/ipr/patents/policy.html</a> >, including the statement "IEEE standards may include the known use of patent(s), including patent applications, provided the IEEE receives assurance from the patent holder or applicant with respect to patents essential for compliance with both mandatory and optional portions of the standard." Early disclosure to the Working Group of patent information that might be relevant to the standard is essential to reduce the possibility for delays in the development process and increase the likelihood that the draft publication will be approved for publication. Please notify the Chair < <a href="mailto:chair@wirelessman.org">mailto:chair@wirelessman.org</a> > as early as possible, in written or electronic form, if patented technology (or technology under patent application) might be incorporated into a draft standard being developed within the IEEE 802.16 Working Group. The Chair will disclose this notification via the IEEE 802.16 web site < <a href="http://ieee802.org/16/ipr/patents/notices">http://ieee802.org/16/ipr/patents/notices</a> >.	

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

**Table 1—Common Encodings**

Type	Parameter
1	Secondary Management CID
5	SS Capabilities*
6	Message Integrity Check
8	Vendor ID encoding
16	MAC version
19	TFTP Server Timestamp
20	TFTP Server Provisioned SS Address
24	Uplink SF Encodings*
25	Downlink SF Encodings*
27	HMAC Tuple
43	Vendor Specific Information

**Table 2—SS Capability encodings**

Type	Parameters
8	Uplink CID support
9	IP Version
12	Physical Parameters Supported
14	Multicast Polling Group Support
15	Bandwidth Allocation Support
16	PKM Flow Control
17	DSx Flow Control
18	MCA Flow Control
19	MAC CRC Support
20	Convergence Sublayer Support
21	Maximum Number of Classifiers
22	PHS Support

1  
2  
3  
4  
5  
6  
7  
8  
9  
10  
11  
12  
13  
14  
15  
16  
17  
18  
19  
20  
21  
22  
23  
24  
25  
26  
27  
28  
29  
30  
31  
32  
33  
34  
35  
36  
37  
38  
39  
40  
41  
42  
43  
44  
45  
46  
47  
48  
49  
50  
51  
52  
53  
54  
55  
56  
57  
58  
59  
60  
61  
62  
63  
64  
65

**Table 3—Service flow encodings**

Type	Parameter
2	Service Flow Identifier
3	Connection Identifier
4	Service Class Name
5	Service Flow Error Parameter Set
6	QoS Parameter Set Type
7	Traffic Priority
8	Maximum Sustained Traffic Rate
9	Maximum Traffic Burst
10	Minimum Reserved Traffic Rate
14	Maximum Latency
15	Service Flow Scheduling Type
16	Request/Transmission Policy
18	Tolerated Jitter
24	Fixed-length versus Variable-length SDU Indicator
25	SDU Size
26	Target SAID
32	CS Specification
43	Vendor Specific QoS Parameter
99-107	Convergence Sublayer Types